

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61B 18/20	A1	(11) International Publication Number: WO 00/53114 (43) International Publication Date: 14 September 2000 (14.09.00)
(21) International Application Number: PCT/GB00/00749 (22) International Filing Date: 3 March 2000 (03.03.00) (30) Priority Data: 9905173.2 5 March 1999 (05.03.99) GB (71) Applicant (for all designated States except US): SLS BIO- PHILE LIMITED [GB/GB]; Units 1 & 2 Heol Rhosyn, Dafen Industrial Estate, Llanelli, Carmarthenshire SA14 8LX (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): KIERNAN, Michael, Noel [GB/GB]; 89 Heol Heddwach, Seven Sisters SA10 9AW (GB). CLEMENT, Robert, Marc [GB/GB]; 11 Plas Road, Rhos, Pontardawe SA8 3HD (GB). (74) Agent: DAVIES, Gregory, Mark; Urquhart-Dykes & Lord, Alexandra House, Alexandra Road, Swansea SA1 5ED (GB).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: SKIN WRINKLE REDUCTION USING PULSED LIGHT

(57) Abstract

Wrinkles are cosmetically removed from a superficial area of mammalian skin tissue having an epidermal layer, a basal layer, and a dermal layer, by irradiating the dermal layer through the basal layer, the irradiation having an energy density in the range $5\text{J}/\text{cm}^2$ or less, and being selected to be absorbed by a chromophore in the dermal layer such that collagen present in the dermal layer is heated, while the basal layer remains intact so as to substantially inhibit contact of the dermal layer with ambient air.



BEST AVAILABLE COPY